

VAGINAL HYSTERECTOMY AND REPAIR POST-OP INSTRUCTIONS

L. GREGORY BLANTON, M.D. J. SCOTT ROBERTSON, M.D.

I <i>)</i>	ызсг	HARGE MEDICATIONS:
2)	ACTI\	/ITY INSTRUCTIONS:
-/	a)	NO LIFTING GREATER THAN 10 #'S (GALLON OF MILK)
	b)	NO PUSHING, PULLING, OR TUGGING OF ANYTHING
	c)	NO DRIVING FOR 14 DAYS AFTER SURGERY
	d)	PELVIC REST (NO SEX, TAMPONS OR DOUCHING) X 6 WEEKS
	e)	NO EXERCISING OTHER THAN NORMAL PACE WALKING
	f)	SWIMMING AND BATHING IS OKAY
	g)	MIRALAX 17 GM DAILY
	,	DRINK 6 LARGE GLASSES OF WATER A DAY
	i) j)	MINIMAL STRAINING TO VOID OR HAVE BOWEL MOVEMENT IF SUTURES ON VULVA: DO SITZ BATH TWICE DAILY AND BLOW DRY WITH HAIR DRYER
	FO	LLOW ABOVE INSTRUCTIONS PRECISELY TO INSURE SUCCESS
3)	WARI	NING SIGNS:
	a)	BLEEDING LIKE A PERIOD OR HEAVIER
		FEVER GREATER THAN 100.4 DEGREES
		GREEN OR YELLOW VAGINAL DISCHARGE
		VAGINAL DISCHARGE WITH FOUL ODOR
		BURNING/STINGING ON URINATION OR BLOOD IN URINE
		URINARY RETENTION (UNABLE TO URINATE)
	g)	NAUSEA AND VOMITING OR INCREASED ABDOMINAL PAIN
	EVDE	IF ANY OF THE ABOVE OCCUR CALL (318) 212-7840 ANYTIME CTATIONS:
)		
		MAY PASS SUTURE THROUGH VAGINA 1-2 WEEKS POST-OP WOUND "GLUE" ON VULVA WILL FALL OFF IN ~ 1 WEEK
	c)	SPOTTING FOR 1 ST 7-10 DAYS
	d)	CLEAR TO WHITE DISCHARGE FOR 4-6 WEEKS AFTER SPOTTING
	e)	CONSTIPATION OR CHANGE IN BOWEL HABITS
	f)	MAY USE MILK OF MAGNESIA (2 TBSP'S) FOR ACUTE CONSTIPATION
		STRAINING MAY CAUSE URINATING TO BE MORE DIFFICULT
		IF HORMONES TAKEN, YOU MAY INITIALLY EXPERIENCE HOT FLASHES NIGHT SWEATS, OR IRRITATION @ SITE OF PATCH
5)	FOLLO	OW UP VISIT:
•	a)	POST-OP VISIT APPOINTMENT:
)	DIREC	T ANY ROUTINE QUESTIONS TO OUR OFFICE

(318) 212-7840

MONDAY THRU FRIDAY 8 A.M. TO 5 P.M.